

TITLE 327 WATER POLLUTION CONTROL BOARD

TITLE 327 WATER POLLUTION CONTROL BOARD

PROPOSED RULE AS PRELIMINARILY ADOPTED

LSA Document #00-235

DIGEST

Adds 327 IAC 16 concerning confined feeding operations. Effective 30 days after filing with the secretary of state.

HISTORY

First Notice of Comment Period: November 1, 1997, Indiana Register (21 IR 848).

Second Notice of Comment Period: November 1, 1998, Indiana Register (22 IR 559).

Continuation of Second Notice of Comment Period: December 1, 1998, Indiana Register (22 IR 830).

Notice of First Hearing: September 1, 2000, Indiana Register (23 IR 3097).

Date of First Hearing: September 13, 2000.

Proposed Rule: November 1, 2000, Indiana Register (24 IR 450).

Notice of Second Hearing: March 1, 2001, Indiana Register (24 IR 1686).

Date of Second Hearing: March 14, 2001.

327 IAC 16

SECTION 1. 327 IAC 16 IS ADDED TO READ AS FOLLOWS:

ARTICLE 16. CONFINED FEEDING OPERATIONS

Rule 1. General Provisions

**327
IAC
16-1-1
Applicability**

Authority: IC

TITLE 327 WATER POLLUTION CONTROL BOARD

13-14-8-1; IC 13-18-10-4

**Affected:IC 13-11-2; IC
13-18; IC 13-22**

Sec. 1. (a) This article applies to the following:

(1) Any person who owns, designs, constructs, operates, or closes a confined feeding operation or other animal feeding operation.

(2) Any person responsible for land application in Indiana of manure generated from a confined feeding operation or other animal feeding operation.

(b) This article does not apply to a person who applies manure from a confined feeding operation or other animal feeding operation in amounts of less than ten (10) cubic yards or two thousand (2,000) gallons in a calendar year.*(Water Pollution Control Board; 327 IAC 16-1-1)*

**327
IAC
16-1-2
Compliance
schedule**

**Authority: IC
13-14-8-1; IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-18; IC 13-22**

Sec. 2. (a) Compliance with all sections of this article shall be on the effective date of this rule, except as follows:

(1) Other animal feeding operations as defined in 327 IAC 16-2-29(4) shall comply with this article no later than three hundred sixty-five (365) days after the effective date of this rule.

(2) [Rule citation] is effective [number of days] after the effective date of this rule.

(3) [Rule citation] is effective [number of days] after the effective date of this rule.

(b) The owner/operator of an existing confined feeding operation or existing other animal feeding operation shall comply with the approval renewal requirements in 327 IAC 16-7-4 in accordance with a request from the commissioner to submit a renewal application.*(Water Pollution Control*

TITLE 327 WATER POLLUTION CONTROL BOARD

Board; 327 IAC 16-1-2)

**327
IAC
16-1-3
Appeal
of
decisions**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 4-21.5; IC
13-11-2; IC 13-14; IC
13-15; IC 13-18; IC 13-30**

Sec. 3. A decision by the commissioner to approve, deny, revoke, modify, require an approval, or impose additional requirements under this article is appealable under IC 4-21.5. Information on appeal rights shall be provided with the documentation of the commissioner's decision.*(Water Pollution Control Board; 327 IAC 16-1-3)*

**327
IAC
16-1-4
Federal
and
state
requirements**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 4-21.5; IC
13-11-2; IC 13-14; IC
13-15; IC 13-18; IC 13-30**

Sec. 4. An approval issued under this article satisfies the requirement for a permit under the Clean Water Act. The commissioner is not limited from requiring a NPDES permit under 327 IAC 5 for a discharge of treated effluent.*(Water Pollution Control Board; 327 IAC 16-1-4)*

Rule 2. Definitions

**327
IAC**

TITLE 327 WATER POLLUTION CONTROL BOARD

**16-2-1
AAgronomic
rate@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. AAgronomic rate@ means a rate of application of manure to the land based on:

- (1) the nutrient content of the manure to be applied;**
- (2) the fertility level of the soil;**
- (3) the nutrient needs of the current or planned crops;**
- (4) the nutrient holding capacity of the soil; and**
- (5) additional sources of nutrients, including legume credits, process wastewater, biosolids, or commercial fertilizer.**

(Water Pollution Control Board; 327 IAC 16-2-1)

**327
IAC
16-2-2
ABedrock@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 2. ABedrock@ means cemented or consolidated earth materials exposed on the earth's surface or underlying unconsolidated earth materials.*(Water Pollution Control Board; 327 IAC 16-2-2)*

327

TITLE 327 WATER POLLUTION CONTROL BOARD

**IAC
16-2-3
ACommissioner@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2-35;
IC 13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. ACommissioner@, as defined in IC 13-11-2-35, refers to the commissioner of the department of environmental management. *(Water Pollution Control Board; 327 IAC 16-2-3)*

**327
IAC
16-2-4
AConfined
feeding@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2-29;
IC 13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 4. (a) AConfined feeding@, as defined in IC 13-11-2-39, means the confined feeding of animals for food, fur, or pleasure purposes in lots, pens, ponds, sheds, or buildings where:

- (1) animals are confined, fed, and maintained for at least forty-five (45) days during any twelve (12) month period; and**
- (2) ground cover or vegetation is not sustained over at least fifty percent (50%) of the animal confinement area.**

(b) The term does not include the following:

- (1) A livestock market:**

(A) where animals are assembled from at least two (2) sources to be publicly auctioned or

TITLE 327 WATER POLLUTION CONTROL BOARD

privately sold on a commission basis; and

(B) that is under state or federal supervision.

(2) A livestock sale barn or auction market where animals are kept for not more than ten (10) days.

(Water Pollution Control Board; 327 IAC 16-2-4)

**327
IAC
16-2-5
AConfined
feeding
operation@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 4-21.5; IC
13-11-2-40; IC 13-14; IC
13-15; IC 13-18-10; IC
13-30**

Sec. 5. AConfined feeding operation@, as defined in IC 13-11-2-40, means any:

(1) confined feeding of at least:

(A) three hundred (300) cattle;

(B) six hundred (600) swine or sheep; or

(C) thirty thousand (30,000) fowl;

(2) animal feeding operation electing to be subject to IC 13-18-10; or

(3) animal feeding operation that causes a violation of:

(A) water pollution control laws;

**(B) any rules of the water pollution control
board; or**

(C) IC 13-18-10.

TITLE 327 WATER POLLUTION CONTROL BOARD

A determination by the department under this subdivision is appealable under IC 4-21.5.

(Water Pollution Control Board; 327 IAC 16-2-5)

**327
IAC
16-2-6
AConstruction@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2-40.8;
IC 13-14; IC 13-15; IC
13-18-10; IC 13-30**

Sec. 6. AConstruction@, as defined in IC 13-11-2-40.8, for purposes of IC 13-18-10, means the fabrication, erection, or installation of a facility or manure control equipment at the location where the facility or manure control equipment is intended to be used. The term does not include the following:

- (1) The dismantling of existing equipment and control devices.**
- (2) The ordering of equipment and control devices.**
- (3) Off-site fabrication.**
- (4) Site preparation.**

(Water Pollution Control Board; 327 IAC 16-2-6)

**327
IAC
16-2-7
AContaminated
run-off@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 7. AContaminated run-off@ means any precipitation or surface water that has come into contact with any liquid or solid animal excreta or any used bedding, litter, or waste liquid at the confined feeding operation or other animal feeding operation.*(Water Pollution Control Board; 327 IAC 16-2-7)*

**327
IAC
16-2-8
ADepartment@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2-51;
IC 13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 8. ADepartment@, as defined in IC 13-11-2-51, refers to the department of environmental management.*(Water Pollution Control Board; 327 IAC 16-2-8)*

**327
IAC
16-2-9
ADischarge@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 9. ADischarge@, for purposes of this article, means any addition of any pollutant, or combination of pollutants, into any waters of the state from a point source. The term includes, without limitation, an addition of a pollutant into any waters of the state from the following:

- (1) Surface run-off that is collected or channeled by human activity.**

TITLE 327 WATER POLLUTION CONTROL BOARD

(2) Discharges through pipes, sewers, or other conveyances, including natural channels that do not lead to treatment works.

(Water Pollution Control Board; 327 IAC 16-2-9)

**327
IAC
16-2-10
ADrainage
inlet@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 10. ADrainage inlet@ means any surficial opening to an underground tile drainage system that drains to waters of the state. For purposes of this article, drainage inlet@ includes water and sediment control basins.*(Water Pollution Control Board; 327 IAC 16-2-10)*

**327
IAC
16-2-11
ADry
confinement
operations@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 11. ADry confinement operations@ means confined feeding operations or other animal feeding operations utilizing slatted or mesh flooring over a deep or shallow pit system, or dry litter as flooring for the animals in an enclosed confinement area or building.*(Water Pollution Control Board; 327 IAC 16-2-11)*

327

TITLE 327 WATER POLLUTION CONTROL BOARD

**IAC
16-2-12
AFeedlot@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 12. AFeedlot@ means an outside lot or pen used for animal confinement, including areas that may be covered, partially covered, or uncovered. For purposes of 327 IAC 5-2-10(1) and 327 IAC 5-2-10(2), the term has the meaning prescribed at 40 CFR 412. (*Water Pollution Control Board; 327 IAC 16-2-12*)

**327
IAC
16-2-13
AFilter
strip@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 13. AFilter strip@ means a relatively uniform and maintained vegetated area used for collecting sediment and cleansing run-off. (*Water Pollution Control Board; 327 IAC 16-2-13*)

**327
IAC
16-2-14
AFlood
plain@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 14. AFlood plain@ means any area adjoining a river, stream, or lake that has been or may be covered by a one hundred (100) year flood. (Water Pollution Control Board; 327 IAC 16-2-14)

**327
IAC
16-2-15
AFloodway@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 15. AFloodway@ means the channel of a river or stream and those portions of the flood plain adjoining the channel that are reasonably required to efficiently carry and discharge the peak flood flow of a one hundred (100) year flood as determined by 310 IAC 6.(Water Pollution Control Board; 327 IAC 16-2-15)

**327
IAC
16-2-16
AGradient
barrier@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 16. AGradient barrier@ means a structure or feature that prevents run-off from entering waters of the state. (Water Pollution Control Board; 327 IAC 16-2-16)

327

TITLE 327 WATER POLLUTION CONTROL BOARD

**IAC
16-2-17
AHighly
erodible
land@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 17. AHighly erodible land@ means land that has a high potential to erode based on site-specific characteristics, such as slope length and steepness, rainfall, run-off, wind, and soil conditions. (Water Pollution Control Board; 327 IAC 16-2-17)

**327
IAC
16-2-18
AHistoric
site@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30; IC
14-8-2-125**

Sec. 18. AHistoric site@, as defined in IC 14-8-2-125, means a site that is important to the general, archaeological, agricultural, economic, social, political, architectural, industrial, or cultural history of Indiana. The term includes adjacent property that is necessary for the preservation or restoration of the site.(Water Pollution Control Board; 327 IAC 16-2-18)

**327
IAC
16-2-19
AIncorporation@
defined**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 19. Incorporation[®] means the mixing of liquid or solid manure, with the surface soil using standard agricultural practices, such as tillage. *(Water Pollution Control Board; 327 IAC 16-2-19)*

**327
IAC
16-2-20
Injection[®]
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 20. Injection[®] means the placement of liquid manure beneath the surface of the soil in the crop root zone using equipment specifically designed for this purpose. *(Water Pollution Control Board; 327 IAC 16-2-20)*

**327
IAC
16-2-21
Karst
terrain[®]
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 21. Karst terrain[®] means an area where karst topography, including the characteristic surface and subterranean features, has developed as the result of dissolution of limestone,

TITLE 327 WATER POLLUTION CONTROL BOARD

dolomite, or other soluble rock. Characteristic physiographic features present in karst terrains include the following:

- (1) Sinkholes.**
- (2) Sinking streams.**
- (3) Caves.**
- (4) Large springs.**
- (5) Blind valleys.**

(Water Pollution Control Board; 327 IAC 16-2-21)

**327
IAC
16-2-22
AManure@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 22. AManure@ means any liquid or solid animal excreta or any used bedding, litter, waste liquid, or contaminated run-off.*(Water Pollution Control Board; 327 IAC 16-2-22)*

**327
IAC
16-2-23
AManure
application@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

TITLE 327 WATER POLLUTION CONTROL BOARD

Sec. 23. AManure application@ means the placement of liquid or solid manure by:

- (1) spraying or spreading onto the land surface;**
- (2) injection below the land surface; or**
- (3) incorporation into the soil.**

(Water Pollution Control Board; 327 IAC 16-2-23)

**327
IAC
16-2-24
AManure
storage
structure@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 24. AManure storage structure@ means any pad, pit, pond, lagoon, tank, building, or manure containment area used to store or treat manure, including any portions of buildings used specifically for manure storage or treatment.*(Water Pollution Control Board; 327 IAC 16-2-24)*

**327
IAC
16-2-25
AManure
transfer
system@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

TITLE 327 WATER POLLUTION CONTROL BOARD

Sec. 25. AManure transfer system@ means any pipes, lift stations, pumps, or other stationary devices used for the transfer of manure. *(Water Pollution Control Board; 327 IAC 16-2-25)*

327
IAC
16-2-26
AManure
transfer
vehicle@
defined

Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4

Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30

Sec. 26. AManure transfer vehicle@ means a vehicle, tank, or wagon used to move manure. *(Water Pollution Control Board; 327 IAC 16-2-26)*

327
IAC
16-2-27
ANew
manure
storage
structure@
defined

Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4

Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30

Sec. 27. ANew manure storage structure@ means any manure storage structure:

- (1) for which an application for approval was received by the commissioner on or after the effective date of this rule; and**
- (2) that is approved after the effective date of this rule.**

TITLE 327 WATER POLLUTION CONTROL BOARD

(Water Pollution Control Board; 327 IAC 16-2-27)

**327
IAC
16-2-28
AOperating
record@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 28. AOperating record@ means the written record of the confined feeding operation or other animal feeding operation activities kept by the owner/operator*(Water Pollution Control Board; 327 IAC 16-2-28)*

**327
IAC
16-2-29
AOther
animal
feeding
operations@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 29. AOther animal feeding operation@ means the confined feeding of:

- (1) at least three hundred (300) horses;**
- (2) at least five thousand (5,000) ducks using a wet confinement or lot operation;**

TITLE 327 WATER POLLUTION CONTROL BOARD

(3) at least thirty thousand (30,000) ducks using a dry confinement operation;

(4) any combination of animals that when the number of animals of each animal type is divided by the applicable animal number listed in section 5 of this rule or subdivisions (1) through (3), the combined result expressed as a percentage is greater than or equal to one hundred percent (100%); or

(5) other species of animals not defined in this section or section 6 of this rule and as determined by the commissioner based on a reasonable estimate of the waste generated at the site.

(Water Pollution Control Board; 327 IAC 16-2-29)

**327
IAC
16-2-30
AOwner/operator@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 30. (a) AOwner/operator@, for purposes of this rule, means the person:

(1) that owns the waste management systems or the livestock at the confined feeding operation or other animal feeding operations; or

(2) in direct or responsible charge or control of one (1) or more confined feeding operations, other animal feeding operations, or land application activity.

(b) The term includes contractors responsible for activities described in 327 IAC 16-1-1(a) at the confined feeding operation or other animal feeding operation.*(Water Pollution Control Board; 327 IAC 16-2-30)*

**327
IAC
16-2-31
APotentially**

TITLE 327 WATER POLLUTION CONTROL BOARD

**available
nitrogen@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 31. APotentially available nitrogen@ means the nitrogen that could be realistically taken up by a crop during one (1) growing season. Potentially available nitrogen is usually calculated as the sum total of:

- (1) ammonium nitrogen;**
- (2) nitrate nitrogen; and**
- (3) the percent organic nitrogen that will mineralize in one (1) growing season.**

(Water Pollution Control Board; 327 IAC 16-2-31)

**327
IAC
16-2-32
APublic
water
supply
surface
intake
structure@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 32. APublic water supply surface intake structure@ means any structure used for the purpose of providing water through a public water supply system.*(Water Pollution Control Board; 327*

TITLE 327 WATER POLLUTION CONTROL BOARD

IAC 16-2-32)

**327
IAC
16-2-33
APublic
water
supply
well@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 33. APublic water supply well@ means any well that provides water to the public through a water distribution system that:

(1) serves at least twenty-five (25) persons per day for:

(A) drinking;

(B) domestic use; or

(C) other purposes; or

(2) has at least fifteen (15) service connections.

(Water Pollution Control Board; 327 IAC 16-2-33)

**327
IAC
16-2-34
ARegistered
professional
engineer@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30; IC 25-31**

Sec. 34. ARegistered professional engineer® means a professional engineer registered by the state under IC 25-31. (*Water Pollution Control Board; 327 IAC 16-2-34*)

**327
IAC
16-2-35
ASensitive
area®
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30; IC
14-31; IC 14-38-1-5**

Sec. 35. ASensitive area® means a site where conditions exist that pose a specific threat to one (1) or more of the following:

- (1) Aquifers used as a source of drinking water.**
- (2) Public water supply wells.**
- (3) Wellhead protection areas.**
- (4) Drinking water supply reservoirs.**
- (5) Areas requiring special protection, such as:**
 - (A) wetlands, except for wetlands constructed for manure management;**
 - (B) karst terrains;**
 - (C) the critical habitat of an endangered species;
or**
 - (D) natural areas, including:**

TITLE 327 WATER POLLUTION CONTROL BOARD

(i) parks;

(ii) nature preserves, as regulated under IC 14-31;

(iii) historic sites, as defined in section 18 of this rule; and

(iv) public lands, as defined in IC 14-38-1-5.

(Water Pollution Control Board; 327 IAC 16-2-35)

**327
IAC
16-2-36
ASpill@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 36. ASpill@ means any unexpected, unintended, abnormal, or unapproved dumping, leakage, drainage, seepage, discharge or other loss of petroleum, hazardous substances, extremely hazardous substances, or objectionable substances. The term does not include releases to impermeable surfaces when the substance does not migrate off the surface or penetrate the surface and enter the soil.*(Water Pollution Control Board; 327 IAC 16-2-36)*

**327
IAC
16-2-37
ASpray
irrigation@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 37. ASpray irrigation® means the application of manure on the land through a stationary or mobile sprinkler type system.*(Water Pollution Control Board; 327 IAC 16-2-37)*

**327
IAC
16-2-38
AStaging®
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 38. AStaging® means the temporary placement of manure in a pile at the site where the manure will be land applied.*(Water Pollution Control Board; 327 IAC 16-2-38)*

**327
IAC
16-2-39
ASurface
application®
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 39. ASurface application® means the placement of manure by spraying or spreading onto the land surface.*(Water Pollution Control Board; 327 IAC 16-2-39)*

**327
IAC
16-2-40
ASurface**

TITLE 327 WATER POLLUTION CONTROL BOARD

**water@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 40. ASurface water@ means water present on the surface of the earth, including:

- (1) streams;**
- (2) lakes;**
- (3) ponds;**
- (4) rivers;**
- (5) swamps;**
- (6) marshes; or**
- (7) wetlands.**

(Water Pollution Control Board; 327 IAC 16-2-40)

**327
IAC
16-2-41
AUncovered@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 41. AUncovered@ means any structure that allows exposure of manure to precipitation events or to the run-on or run-off from precipitation events.*(Water Pollution Control Board; 327 IAC 16-2-41)*

TITLE 327 WATER POLLUTION CONTROL BOARD

**327
IAC
16-2-42
AVegetative
management
system@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 42. AVegetative management system@ means a vegetated area designed to accept contaminated run-off or waste liquid after settling for the purpose of treatment or infiltration into the soil. (*Water Pollution Control Board; 327 IAC 16-2-42*)

**327
IAC
16-2-43
AWaste
liquid@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 43. AWaste liquid@ means liquid to be handled as manure that is generated at the confined feeding operation or other animal feeding operation, including:

- (1) excess drinking water;**
- (2) clean-up water;**
- (3) contaminated livestock truck or trailer washwater;**
- (4) milking parlor wastewater;**

TITLE 327 WATER POLLUTION CONTROL BOARD

(5) milk house washwater;

(6) egg washwater;

(7) silage leachate; or

(8) precipitation which comes into contact with any raw material, intermediate product, or final product used in or resulting from the production of animals or poultry or direct products, for example, milk or eggs.

(Water Pollution Control Board; 327 IAC 16-2-43)

**327
IAC
16-2-44
AWaste
liquid
storage
system@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 44. AWaste liquid storage system@ means any storage structures, conveyances, or other devices to manage waste liquids.*(Water Pollution Control Board; 327 IAC 16-2-44)*

**327
IAC
16-2-45
AWaste
management
system@
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 45. AWaste management system[@] means any method of managing manure at the confined feeding operation or other animal feeding operation, including:

- (1) manure storage structures;**
- (2) manure transfer systems;**
- (3) manure treatment systems, such as:**
 - (A) a constructed wetland;**
 - (B) a vegetative management system;**
 - (C) a wastewater treatment system under a valid national pollutant discharge elimination system (NPDES) permit; or**
 - (D) another system approved by the commissioner;**
- (4) feedlots;**
- (5) confinement buildings; or**
- (6) waste liquid handling, storage, and treatment systems.**

(Water Pollution Control Board; 327 IAC 16-2-45)

**327
IAC
16-2-46
AWaters[@]
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2-265;
IC 13-14; IC 13-15; IC
13-18; IC 13-30**

TITLE 327 WATER POLLUTION CONTROL BOARD

Sec. 46. (a) AWaters®, as defined in IC 13-11-2-265, means:

- (1) the accumulations of water, surface and underground, natural and artificial, public and private; or**
- (2) a part of the accumulations of water;**

that are wholly or partially within, flow through, or border upon Indiana.

(b) The term does not include:

- (1) a private pond; or**
- (2) an off-stream pond, reservoir, or facility built for reduction or control of pollution or cooling of water prior to discharge;**

unless the discharge from the pond, reservoir, or facility causes or threatens to cause water pollution. (*Water Pollution Control Board; 327 IAC 16-2-46*)

**327
IAC
16-2-47
AWet
confinement
or
lot
operations®
defined**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 47. AWet confinement or lot operations® means confined feeding operations or other animal feeding operations that use water as a form of habitat within the confinement area by either flow-through systems, ponds, or open range containment. (*Water Pollution Control Board; 327 IAC 16-2-47*)

Rule 3. Performance Standards for All Confined Feeding Operations and Other Animal Feeding Operations

327

TITLE 327 WATER POLLUTION CONTROL BOARD

**IAC
16-3-1
Performance
standards**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. (a) A confined feeding operation or other animal feeding operation shall be managed to avoid an unpermitted discharge into waters of the state.

(b) A confined feeding operation or other animal feeding operation must be conducted in a manner that minimizes nonpoint source pollution entering waters of the state.

(c) A confined feeding operation or other animal feeding operation shall immediately take all reasonable steps to control the unpermitted discharge of manure, and spills, including seepage and leakage.

(d) All waste management systems must be designed, constructed and maintained to minimize leaks and seepage and prevent spills.

(e) Manure to be applied to land in Indiana must be applied in such a manner as:

(1) not to enter or threaten to enter waters of the state;

(2) to prevent:

(A) run-off;

(B) ponding for more than twenty-four (24) hours; and

(C) spills; and

(3) to minimize nutrient leaching beyond the root zone.

(Water Pollution Control Board; 327 IAC 16-3-1)

Rule 4. General Approval Conditions

TITLE 327 WATER POLLUTION CONTROL BOARD

**IAC
16-4-1
Requirement
to
obtain
an
approval**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. Confined feeding operations and other animal feeding operations must:

- (1) have a valid approval to operate; or**
- (2) close in accordance with 327 IAC 16-11.**

(Water Pollution Control Board; 327 IAC 16-4-1)

**327
IAC
16-4-2
Conditions
applicable
to
all
approvals**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18-10; IC 13-30**

Sec. 2. The following conditions apply to all confined feeding approvals:

- (1) The owner/operator must comply with all terms and conditions of the approval and this article.**

TITLE 327 WATER POLLUTION CONTROL BOARD

- (2) The owner/operator shall take all reasonable steps to prevent, minimize, or correct any adverse impact on the environment resulting from noncompliance with the approval or this article.**
- (3) The filing by the owner/operator of a request for an approval modification, revocation and reissuance, or termination does not stay or suspend any approval term or condition. The approval may be modified, revoked and reissued, or terminated for causing or threatening to cause harm to the environment.**
- (4) The approval does not convey any property rights of any sort or any exclusive privilege.**
- (5) The owner/operator shall allow the commissioner, or an authorized representative (including an authorized contractor acting as a representative of the commissioner), upon the presentation of credentials and in compliance with biosecurity procedures developed by the department in consultation with the Indiana state board of animal health or individual owner/operators as defined in 327 IAC 16-2-30:**
- (A) to enter upon the confined feeding operation or other animal feeding operation premises or where any records must be kept under the terms and conditions of the approval or this article;**
 - (B) to have access for review to any records that must be kept under the terms and conditions of the approval;**
 - (C) to inspect, at reasonable times:**
 - (i) any monitoring equipment or method;**
 - (ii) any waste management systems; or**
 - (iii) practices required or otherwise regulated under the approval; and**
 - (D) to sample or monitor, at reasonable times, for the purpose of evaluating compliance with the approval or state and federal laws and regulations.**

TITLE 327 WATER POLLUTION CONTROL BOARD

(6) The provisions of this approval are severable and, if any provision of the approval or the application of any provision of the approval to any circumstances is held invalid, the application of such provision to other circumstances and the remainder of this approval shall not be affected thereby.

(Water Pollution Control Board; 327 IAC 16-4-2)

**327
IAC
16-4-3
Additional
conditions
for
large
confined
feeding
operations
and
other
animal
feeding
operations**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) In addition to the other requirements of this article, the owner/operator of confined feeding operations and other animal feeding operations with more than twenty (20) times the animal numbers listed in 327 IAC 16-2-5 and 327 IAC 16-2-29 must comply with the provisions in this section.

(b) The owner/operator shall comply with the public notice requirements under 327 IAC 16-7-12 and the public comment period and hearing requirements under 327 IAC 16-7-13.

(c) If determined to be necessary to protect human health or the environment, the commissioner may require additional design standards, operational requirements, or other best management practices, such as:

(1) monitoring systems;

TITLE 327 WATER POLLUTION CONTROL BOARD

- (2) liners;
- (3) higher compaction;
- (4) reporting;
- (5) innovative technology; or
- (6) other protective measures.

(d) The commissioner shall provide written documentation describing the basis for requiring additional design or operational requirements.*(Water Pollution Control Board; 327 IAC 16-4-3)*

**327
IAC
16-4-4
Enforcement**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14-2-6; IC 13-15; IC
13-18; IC 13-30-3**

Sec. 4. For a confined feeding operation or other animal feeding operation that has a valid approval, a violation of the operational requirements in 327 IAC 16-9, or land application of manure requirements in 327 IAC 16-10, will not be subject to an enforcement action pursuant to IC 13-30-3 or IC 13-14-2-6 if the violation:

- (1) has not caused a:**
 - (A) discharge to waters of the state; or**
 - (B) release of manure that has crossed a property boundary;**
- (2) is corrected:**
 - (A) immediately; or**
 - (B) within a reasonable time frame as specified in a written notification of the violation by a department representative;**

TITLE 327 WATER POLLUTION CONTROL BOARD

(3) is not the same category of violation as a violation that occurred within the previous five (5) years; and

(4) is not one of multiple concurrent violations that represent a threat to the environment.

(Water Pollution Control Board; 327 IAC 16-4-4)

Rule 5. Alternate Design or Compliance Approach; Innovative Technology

**327
IAC
16-5-1
Alternate
design
or
compliance
approach;
and
innovative
technology**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. (a) The use of a design or compliance approach other than the requirement specified in this article, or an innovative technology may be proposed by the owner/operator in accordance with the following:

(1) The proposal for the alternative design or compliance approach, or innovative technology must be accompanied by documentation that indicates that the performance standards in 327 IAC 16-3-1 will be met. The alternative design or compliance approach, or innovative technology must comply with all existing environmental regulations and laws.

(2) The proposed design or compliance approach, or innovative technology must be incorporated into the approval.

(b) In making a determination on an alternate design or compliance approach, or innovative technology, the commissioner shall consider applicable criteria that may include:

TITLE 327 WATER POLLUTION CONTROL BOARD

- (1) design specifications that indicate adequate structural integrity;**
- (2) protective measures that reduce the potential for spills;**
- (3) existence of barriers or surface gradient that directs liquid flow away from features specified for protection;**
- (4) operational practices that provide additional protection;**
- (5) threats of adverse impacts to water quality or other specified sensitive areas; and**
- (6) other criteria related to protection of the environment or human health.**

(c) The commissioner shall provide written documentation describing the basis for the approval or denial of the proposed alternate design, compliance approach, or innovative technology.

(Water Pollution Control Board; 327 IAC 16-5-1)

Rule 6. Existing Confined Feeding Operations and Other Animal Feeding Operations

**327
IAC
16-6-1
Existing
confined
feeding
operations
and
other
animal
feeding
operations**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18-10-2.3; IC 13-30**

Sec. 1. (a) Existing confined feeding operations and other animal feeding operations are not subject to 327 IAC 16-8, but must be maintained and operated in compliance with all:

- (1) federal laws;**

TITLE 327 WATER POLLUTION CONTROL BOARD

(2) state laws; and

(3) approval conditions.

(b) The owner/operator of existing confined feeding operations and other animal feeding operations must comply with the following requirements by the effective date of this rule:

(1) Operational requirements in 327 IAC 16-9.

(2) Manure application requirements in 327 IAC 16-10.

(3) Manure management plan requirements in IC 13-18-10-2.3, and as described in 327 IAC 16-7-11.

(4) Closure requirements in 327 IAC 16-11.

(c) An approval modification is required for an increase in the amount of manure generated that:

(1) reduces the storage capacity to less than the required storage capacity at the time of the most recent approval; or

(2) results from an increase in the number of animals, excluding swine that weigh twenty-five (25) kilograms or less, by:

(i) more than the numbers in 327 IAC 16-2-5 and 327 IAC 16-2-29; or

(ii) greater than ten percent (10%) of the approved animal capacity at the time of the most recent approval.

(d) The owner/operator of an existing confined feeding operation or other animal feeding operation shall have a soil test and a manure test conducted in accordance with a manure management plan prior to July 1, 2001.

(e) For existing confined feeding operations and other animal feeding operations, application of manure to the land must be conducted in accordance with the following:

(1) Prior to July 1, 2001, manure application must:

(A) be at a rate not to exceed one hundred fifty (150) pounds of potentially available nitrogen per acre per year for confined feeding operations and other animal feeding operations that have not received soil and manure test results; or

TITLE 327 WATER POLLUTION CONTROL BOARD

(B) in accordance with agronomic rates for potentially available nitrogen as documented in the operating record for confined feeding operations and other animal feeding operations that have received soil and manure test results.

(2) After July 1, 2001, all manure application must be in accordance with agronomic rates for potentially available nitrogen as documented in records at the confined feeding operation or other animal feeding operation.

(Water Pollution Control Board; 327 IAC 16-6-1)

Rule 7. Application and Approval Process for Confined Feeding Operations and Other Animal Feeding Operations

**327
IAC
16-7-1
Applicability**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 4-21.5; IC
13-11-2; IC 13-14; IC
13-15; IC 13-18; IC 13-30**

Sec. 1. (a) This rule applies to any person seeking approval for a confined feeding operation or other animal feeding operation.

(b) A person shall not begin construction of a new confined feeding operation or other animal feeding operation or an additional waste management system at an existing confined feeding operation or other animal feeding operation without obtaining the prior written approval of the commissioner.

(c) All manure management structures approved prior to July 1, 1997, that have not been constructed, but that are intended to be constructed, must meet one (1) of the following:

(1) Construction must be:

(A) initiated by the effective date of this rule; and

(B) completed within two (2) years of the effective date of this rule or the date all appeals brought

TITLE 327 WATER POLLUTION CONTROL BOARD

under IC 4-21.5 concerning the construction of the confined feeding operation or other animal feeding operation have been completed, whichever is later.

(2) A new application for the manure management structure must be submitted to the department under this article.

(Water Pollution Control Board; 327 IAC 16-7-1)

**327
IAC
16-7-2
Application
requirements**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18-10-2; IC 13-30; IC
25-17.6**

Sec. 2. (a) Two (2) copies of the application package for an approval of a confined feeding operation or other animal feeding operation must be submitted to the commissioner in a format specified by the department.

(b) A complete application package must include all of the following information:

(1) A completed application form on forms provided by the department.

(2) A plot map as described in section 8 of this rule.

(3) A farmstead plan as described in section 9 of this rule.

(4) A waste management system drawing as described in section 10 of this rule.

(5) Soil and water table information from test holes that are at least five feet below the base of the proposed liquid manure storage structure and conducted by a soil scientist certified under the Federation of Certified Boards of Agriculture, Biology, Earth and Environmental Sciences, a professional geologist certified in Indiana under IC 25-17.6, or a professional engineer registered in Indiana. The number of test holes

TITLE 327 WATER POLLUTION CONTROL BOARD

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected:IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) An approval shall be issued for a fixed term not to exceed five (5) years. Approvals of less than five (5) years duration may be issued in appropriate circumstances at the discretion of the commissioner. An approval may be modified, revoked and reissued, or terminated prior to the expiration of the term for cause, as specified in sections 5 and 6 of this rule, or in accordance with conditions set forth in the approval. In no event may the term of an approval be extended beyond five (5) years from its original effective date by modification, extension, or other means, except as provided in subsection (b).

(b) The terms and conditions of an expired approval are automatically extended in full force and effect until the effective date of a renewal, if:

(1) the owner/operator has submitted a timely and sufficient application for a renewal under this article; and

(2) the commissioner, through no fault of the owner/operator, does not issue a renewal prior to the expiration date of the previous approval.

(Water Pollution Control Board; 327 IAC 16-7-3)

**327
IAC
16-7-4
Approval
renewals**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected:IC 4-21.5; IC
13-11-2; IC 13-14; IC
13-15; IC 13-18-10-2.3;
IC 13-30-3**

Sec. 4. (a) An application for the renewal of a confined feeding operation or other animal feeding operation approval must be submitted to the commissioner prior to the expiration of the previous approval and concurrent with the requirement in IC 13-18-10-2.3 to submit a manure management plan at least one (1) time every five (5) years. Approval renewals shall be issued for a fixed term not to exceed five (5) years. A confined feeding operation or other animal feeding operation that has had a discharge within the previous five (5) years that was, or is subject to an enforcement action by the department pursuant to IC 13-30-3 shall be subject to public notice

TITLE 327 WATER POLLUTION CONTROL BOARD

requirements in IC 4-21.5 upon receipt of a complete renewal application by the department. A confined feeding operation or other animal feeding operation that has not had a discharge within the previous five (5) years that was, or is subject to an enforcement action by the department pursuant to IC 13-30-3 shall be considered to have a new approval renewal upon receipt of a complete renewal application by the department.

(b) The application for renewal must contain the following:

- (1) The name, full address, phone number, and contact person for the confined feeding operation or other animal feeding operation.
- (2) An updated manure management plan in accordance with section 11 of this rule.
- (3) If any information from the original application has changed, or is proposed to be changed, then updates of any applicable items in section 2(b) of this rule.

(Water Pollution Control Board; 327 IAC 16-7-4)

**327
IAC
16-7-5
Modifications
and
notifications**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15-7-1; IC
13-18-10-2.1; IC 13-30**

Sec. 5. (a) The commissioner may issue modifications to approvals of a confined feeding operation or other animal feeding operation at any time:

- (1) pursuant to IC 13-15-7-1 and IC 13-18-10-2.1(e);
- (2) to address phosphorous limits or alternative management methods if adequate information indicates that the phosphorous in soils represents a water quality threat;
- (3) at the request of the applicant to address changes at the confined feeding operation or other animal feeding operation that do not require a

TITLE 327 WATER POLLUTION CONTROL BOARD

new approval;

(4) as a result of an agreement between the department and the owner/operator; or

(5) due to a reduction in storage capacity that results in less than one hundred eighty (180) days storage capacity.

(b) Changes that require only written notification to the department, include the following:

(1) Changes to the positioning of a structure that remains in compliance with the setback distances and within the boundaries identified in the farmstead plan in section 9 of this rule and delineated by representative site borings.

(2) Changes to the design or construction of a structure as shown in as-built plans.

(3) Reduction in storage capacity that results in at least one hundred eighty (180) days combined storage at the confined feeding operation or other animal feeding operation after the manure storage structure closure.

(4) Transfers of ownership as described in section 6 of this rule.

(5) Other changes as determined by the commissioner.

(c) The commissioner shall provide written documentation of the basis for issuing or denying a modification. (*Water Pollution Control Board; 327 IAC 16-7-5*)

**327
IAC
16-7-6
Revocation**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18-10; IC 13-30**

Sec. 6. (a) The commissioner may revoke an approval or a condition of an approval as a result of a violation of:

TITLE 327 WATER POLLUTION CONTROL BOARD

- (1) water pollution control laws;**
- (2) rules adopted under the water pollution control laws;**
- (3) IC 13-18-10;**
- (4) this article; or**
- (5) approval conditions.**

(b) The commissioner shall provide written documentation of the basis for revoking an approval or a condition of an approval. *(Water Pollution Control Board; 327 IAC 16-7-6)*

**327
IAC
16-7-7
Transferability**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 7. An approval issued by the department shall be transferred to another person by the current approval recipient if, at least forty-five (45) days prior to the date of the proposed transfer of the approval:

- (1) the current approval recipient notifies the commissioner of the proposed transfer; and**
- (2) a written agreement is submitted to the commissioner containing:**
 - (A) a specific date for transfer of approval responsibilities; and**
 - (B) identification of responsibility for any violations existing at the time of the transfer.**

(Water Pollution Control Board; 327 IAC 16-7-7)

**327
IAC
16-7-8**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Plot
maps**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 8. (a) The applicant shall submit plot maps of the location proposed for approval consisting of the following:

(1) A United States Department of Agriculture Natural Resources Conservation Service soil survey map.

(2) A United States Geological Survey topographical map that includes identification of any public water supply wells and public water supply surface intake structures within one thousand (1,000) feet of the manure storage structures.

(b) The maps in subsection (a) must be legible and clearly show the following:

(1) The location of the waste management systems.

(2) The boundaries of the property of the confined feeding operation or other animal feeding operation.

(3) The boundaries of all manure application areas.

These maps will satisfy the requirement for maps under section 11(a)(3) of this rule. (*Water Pollution Control Board; 327 IAC 16-7-8*)

**327
IAC
16-7-9
Farmstead
plan**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC**

TITLE 327 WATER POLLUTION CONTROL BOARD

13-18; IC 13-30

Sec. 9. (a) A farmstead plan must show all existing and proposed waste management systems, and, within five hundred (500) feet of the waste management systems, the following known features:

- (1) Residences.**
- (2) Surface waters of the state.**
- (3) Public and private roads.**
- (4) Water well locations.**
- (5) Characteristics of karst terrain as identified in 327 IAC 16-2-21.**
- (6) Drainage patterns.**
- (7) Property boundary line.**
- (8) All outfalls of known subsurface drainage structures.**
- (9) Drainage inlets, including water and sediment control basins.**

(b) In addition to subsection (a), the farmstead plan must show the diversion of uncontaminated surface water.

(c) The farmstead plan must be legible and either:

- (1) drawn to approximate scale; or**
- (2) show specific distances between:**
 - (A) the waste management systems; and**
 - (B) the features in subsection (a) that are within five hundred (500) feet of the existing or proposed waste management system.**

(d) The plan must be submitted on paper no less than eight and one-half (8½) inches by eleven (11) inches in size. *(Water Pollution Control Board; 327 IAC 16-7-9)*

**327
IAC
16-7-10
Waste**

TITLE 327 WATER POLLUTION CONTROL BOARD

**management
system
drawing**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 10. The waste management system drawing must show detailed views and necessary cross sections to define all dimensions and construction materials. Systems relying on gravity flow must provide elevations of the entire waste management system.*(Water Pollution Control Board; 327 IAC 16-7-10)*

**327
IAC
16-7-11
Manure
management
plan**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 11. (a) A manure management plan must be developed and submitted to the commissioner that, at a minimum, contains the following:

- (1) Procedures for soil testing as described in subsections (c) and (e).**
- (2) Procedures for manure testing as described in subsections (d) and (e).**
- (3) Legible maps of manure application areas.**

(b) If applicable, the manure management plan must also contain a description of any:

- (1) alternate methods proposed by the applicant for managing of the manure; and**

TITLE 327 WATER POLLUTION CONTROL BOARD

(2) other practices to be used that assure the confined feeding operation or other animal feeding operation meets the performance standards in this article.

(c) A soil test must be obtained that provides sufficient information about soil fertility to allow for nutrient recommendations for existing or planned crops and to minimize nutrient leaching.

(d) A manure test must be obtained that provides sufficient information about the manure content to allow for nutrient recommendations for existing or planned crops and to minimize nutrient leaching.

(e) The frequency of soil and manure testing must:

(1) be specified in the manure management plan; and

(2) be conducted a minimum of once every three (3) years unless a different frequency is justified in the manure management plan.

(f) One (1) manure test must be conducted for each type of manure generated.

(g) A manure management plan must be submitted to the department at least one (1) time every five (5) years and with any approval application and renewal application to maintain a valid approval for the confined feeding operation or other animal feeding operation. A copy of the current manure management plan must be reasonably accessible to a representative of the department during an inspection. (Water Pollution Control Board; 327 IAC 16-7-11)

**327
IAC
16-7-12
Notice
to
adjacent
landowners**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 12. An applicant who applies for approval to construct a confined feeding operation or other animal feeding operation on land that is undeveloped or for which a valid existing approval has not been issued shall make a reasonable effort to provide notice:

TITLE 327 WATER POLLUTION CONTROL BOARD

(1) to:

(A) each person who owns land that adjoins the land on which the confined feeding operation or other animal feeding operation is to be located; or

(B) if a person who owns land that adjoins the land on which the confined feeding operation or other animal feeding operation is to be located does not occupy the land, all occupants of the land; and

(2) to the county commissioners of the county in which the confined feeding operation or other animal feeding operation is to be located;

not more than ten (10) working days after submitting an application. The notice must be sent by mail, be in writing, include the date on which the application was submitted to the department, and include a brief description of the subject of the application. The applicant shall pay the cost of complying with this section. The applicant shall submit an affidavit to the department that certifies that the applicant has complied with this section*(Water Pollution Control Board; 327 IAC 16-7-12)*

**327
IAC
16-7-13
Public
comment
periods
and
hearings**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15-3-1; IC
13-18; IC 13-30**

Sec. 13. (a) This section applies to:

(1) an application for an approval for a confined feeding operation or other animal feeding operation that has:

(A) conducted confined feeding activities as defined in 327 IAC 16-2-4 prior to application for

TITLE 327 WATER POLLUTION CONTROL BOARD

an approval; and

(B) had a discharge prior to application for an approval;

(2) an application for an approval for a confined feeding operation or other animal feeding operation that will have twenty (20) times the animal numbers listed in 327 IAC 16-2-5 and 327 IAC 16-2-29; and

(3) an application for an approval renewal for a confined feeding operation or other animal feeding operation that has had a discharge subject to an enforcement action by the agency within the previous five (5) years.

(b) Upon receipt of an application package, the department shall provide notice of receipt of the application to:

(1) the owner/operator;

(2) the public through notice in a newspaper; and

(3) local officials in accordance with IC 13-15-3-1.

(c) A comment period of at least thirty (30) days following the date of public notice of the receipt by the department of an approval application shall be provided. During this period, any interested persons may submit written comments on the approval application and may request a public hearing. A request for a public hearing shall be in writing and shall state the nature of the issues to be raised and the reasons why a hearing is warranted. The commissioner, after reviewing all comments, shall make a decision consistent with this article and applicable federal and state laws.

(d) A public hearing on an approval application may be held by the commissioner in appropriate cases where environmental concerns are raised, either on the commissioner's own initiative or in response to a request or requests for public hearing submitted during the public comment period. Such a hearing shall be held where the commissioner finds there is a significant public interest in the approval application.*(Water Pollution Control Board; 327 IAC 16-7-13)*

Rule 8. Manure Handling and Storage; Site, Design, and Construction Requirements

**327
IAC
16-8-1
Site
restrictions
for
new**

TITLE 327 WATER POLLUTION CONTROL BOARD

waste
management
systems
for
liquid
or
solid
manure

Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4

Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30

Sec. 1. (a) New waste management systems for liquid or solid manure must not be constructed:

(1) except for subsection (b), in karst terrain based on information compiled by the department, and from karst and bedrock maps from the Indiana Geological Survey dated 1997;

(2) in a floodway;

(3) in a one hundred (100) year flood plain, unless all waste management system access is at least two (2) feet above the one hundred (100) year flood plain;

(4) except for subsection (b), over mines; or

(5) in soil that is expected to be in the seasonal high water table, unless the water table is lowered to keep the water table below the bottom of the waste management system.

(b) The commissioner may approve a new waste management system to be constructed in karst terrain or over mines based upon the following site-specific information submitted to the commissioner:

(1) For uncovered earthen manure storage structures for liquid manure, in addition to 327 IAC 16-7-2(b)(5), information from at least one (1) of the soil borings or test holes to the shallower of either:

(A) bedrock; or

(B) ten (10) feet below the lowest point of the

TITLE 327 WATER POLLUTION CONTROL BOARD

proposed waste management system.

(2) Characterization of the seasonal water table and soil.

(3) Design specifications that indicate adequate structural integrity and environmental protection.

(4) Other information that the commissioner deems necessary to ensure protection of human health and the environment.

(Water Pollution Control Board; 327 IAC 16-8-1)

**327
IAC
16-8-2
Waste
management
system
setbacks**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 2. (a) Waste management systems must be located to maintain the minimum setback distances from the following features that are known and identifiable at the time of application:

(1) One thousand (1,000) feet from a public water supply well or public water supply surface intake structure.

(2) Three hundred (300) feet from:

(A) surface waters of the state;

(B) drainage inlets, including water and sediment control basins;

(C) sinkholes, as measured from the surficial opening or the lowest point of the feature; and

(D) off-site water wells.

TITLE 327 WATER POLLUTION CONTROL BOARD

(3) One hundred (100) feet from:

(A) on-site water wells;

(B) property lines; and

(C) public roads.

(b) If one (1) of the features in subsection (a) is constructed within the specified setback distance in subsection (a), then a new waste management system may be constructed no closer to the new feature than the distance between the original waste management system and the new feature, providing that:

(1) the new feature was not under the control of the owner/operator of the confined feeding operation or other animal feeding operation; and

(2) the new feature was constructed after the application for original new waste management system was submitted to the department.

(c) The owner/operator may obtain a reduced setback under 327 IAC 16-5, by demonstrating to the commissioner that a different compliance approach meets the performance standards in 327 IAC 16-3-1.

(d) If deemed necessary to protect human health or the environment, the commissioner shall require a greater setback distance or require setback distances to residences and public buildings based on:

(1) surface gradient; or

(2) other criteria related to protection of human health or the environment.

(e) The commissioner shall provide written documentation of the basis for requiring additional setback distances under subsection (d).*(Water Pollution Control Board; 327 IAC 16-8-2)*

**327
IAC
16-8-3
Design
requirements
applicable
to
all
new
waste
management**

TITLE 327 WATER POLLUTION CONTROL BOARD

systems

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) The base of a new manure storage structure must be above bedrock as follows:

(1) If not in karst terrain, the base must be at least two (2) feet above bedrock.

(2) If in karst terrain, the base must be at a distance above bedrock that is determined by the commissioner.

(b) Any drainage system to lower a seasonal water table around the base of a waste management system must be equipped with an access point for sampling.

(c) If determined to be necessary to protect human health or the environment in highly permeable soils, in areas with a high water table, on steep slopes, in proximity to bedrock, or in sensitive areas, the commissioner may require additional design standards, such as:

- (1) monitoring systems;**
- (2) liners;**
- (3) higher compaction;**
- (4) innovative technology; or**
- (5) other protective measures.**

(d) The commissioner shall provide written documentation of the basis for requiring additional design standards under subsection (c). (Water Pollution Control Board; 327 IAC 16-8-3)

**327
IAC
16-8-4
Storage
capacity
for
manure
storage**

TITLE 327 WATER POLLUTION CONTROL BOARD

structures

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 4. All new manure storage structures for the confined feeding operation or other animal feeding operation must be designed, constructed, and maintained with a combined storage capacity of at least one hundred eighty (180) days storage for:

- (1) manure;**
- (2) if applicable, bedding;**
- (3) net average rainfall; and**
- (4) if applicable, the expected rainfall and run-off from a twenty-five (25) year, twenty-four (24) hour precipitation event that falls on the drainage area around the liquid manure storage structure, but not to include the expected rainfall and run-off from a twenty-five (25) year, twenty-four (24) hour precipitation event that falls directly on the liquid manure storage structure.**

(Water Pollution Control Board; 327 IAC 16-8-4)

**327
IAC
16-8-5
Design
requirements
applicable
to
all
new
liquid
manure
storage
structures**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 5. (a) For any uncovered new liquid manure storage structures, the design must include a minimum of two (2) feet of freeboard to include the expected rainfall from a twenty-five (25) year, twenty-four (24) hour precipitation event that falls directly on the liquid manure storage structure.

(b) An emergency spillway must exist to handle overflow for an uncovered new liquid manure storage structure that receives precipitation run-off from a drainage area, not including the manure storage structure surface area, that exceeds fifty percent (50%) of the surface area of the manure storage structure.

(c) An emergency spillway required under subsection (b) must:

(1) direct manure to:

(A) secondary containment;

(B) an appropriate manure storage structure; or

**(C) an approved vegetative management system;
and**

(2) be designed to handle the run-off from a fifty (50) year, twenty-four (24) hour precipitation event.

(d) Manure transfer systems must be designed and constructed to minimize leaks and seepage and prevent spills. (Water Pollution Control Board; 327 IAC 16-8-5)

**327
IAC
16-8-6
Design
requirements
applicable
to
all
new
concrete
storage
structures
for
liquid
manure**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 6. In addition to sections 1 through 5 of this rule, new concrete storage structures for liquid manure must be designed with a seepage rate of not more than one-sixteenth ($\frac{1}{16}$) inch per day and must be structurally sound through:

- (1) a concrete mixture that is well-proportioned and consolidated;**
- (2) minimized cracking;**
- (3) joints that are properly spaced, sized, designed, and constructed;**
- (4) adequate reinforcement steel;**
- (5) a foundation that provides necessary support; and**
- (6) use of water stops.**

(Water Pollution Control Board; 327 IAC 16-8-6)

**327
IAC
16-8-7
Design
requirements
applicable
to
all
new
earthen
manure
storage
structures
for
liquid
manure**

**Authority: IC
13-14-8-7; IC 13-15-2-1;**

TITLE 327 WATER POLLUTION CONTROL BOARD

IC 13-18-10-4

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 7. (a) In addition to sections 1 through 5 of this rule, and the performance standards of 327 IAC 16-3-1, new earthen manure storage structures must meet the requirements of this section.

(b) New earthen manure storage structures for liquid manure must not have a seepage rate that exceeds one-sixteenth ($\frac{1}{16}$) inch per day.

(c) Designs for new earthen storage structures for liquid manure must be certified by a professional engineer registered in Indiana.

(d) If determined to be necessary to protect the environment, the commissioner may require additional design standards, such as:

- (1) monitoring systems;**
- (2) liners;**
- (3) higher compaction;**
- (4) innovative technology; or**
- (5) other protective measures.**

(e) The commissioner shall provide written documentation describing the basis for requiring additional design standards. *(Water Pollution Control Board; 327 IAC 16-8-7)*

**327
IAC
16-8-8
Design
requirements
applicable
to
solid
manure
storage
structures**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 8. (a) Solid manure storage structures must not be constructed in sand or gravel soils, Unified Soil Classification of Pt, GW, GP, GM, GC, SW, SP, SM, SC, unless specially designed with an approved liner.

(b) Run-on and precipitation must be diverted away from the solid manure storage structures, unless the design includes a method to collect and manage the contaminated run-off.

(c) For purposes of this article, stockpiling of solid manure at the confined feeding operation or other animal feeding operation is subject to the design standards of this section, *(Water Pollution Control Board; 327 IAC 16-8-8)*

**327
IAC
16-8-9
Design
requirements
applicable
to
other
manure
storage
structures**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 9. (a) Installation of underground steel storage tanks for manure is prohibited.

(b) Plastic and fiberglass tanks and aboveground steel tanks must comply with the following:

(1) Tanks must have sufficient strength to withstand design loads.

(2) All tanks must be watertight.

(3) Tanks used to store other substances must be cleaned to remove any traces of other chemicals prior to addition of manure to the tank.

TITLE 327 WATER POLLUTION CONTROL BOARD

(4) Tanks must be designed and installed to ensure the seasonal high water table is maintained below the tank or the tank must be anchored to prevent flotation.

(5) Aboveground tanks must have protected shut-off valves for all inlet and outlet pipes.

(Water Pollution Control Board; 327 IAC 16-8-9)

**327
IAC
16-8-10
Vegetative
management
systems**

**Authority: IC
13-14-8-1; IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14-12; IC 13-18; IC
13-30**

Sec. 10. (a) A settling basin, low velocity channel, or equivalent structure must be provided between the vegetative management system and the source of contaminated run-off or waste liquid. A constructed settling basin or low velocity channel must have sufficient capacity to store the contaminated run-off or waste liquid and the expected sediment.

(b) Vegetative management systems must have minimum dimensions based on the peak outflow from the confined feeding area or settling basin based on a two (2) year, twenty-four (24) hour precipitation event. *(Water Pollution Control Board; 327 IAC 16-8-10)*

**327
IAC
16-8-11
Constructed
wetlands**

**Authority: IC
13-14-8-1; IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14-12; IC 13-18; IC
13-30**

TITLE 327 WATER POLLUTION CONTROL BOARD

Sec. 11. (a) This section applies to the use of a constructed wetland as a waste management system for contaminated run-off or waste liquid.

(b) The owner/operator of a confined feeding operation or other animal feeding operation that plans to use a constructed wetland and discharge the treated effluent must comply with applicable state and federal requirements.

(c) The owner/operator of a confined feeding operation or other animal feeding operation that plans to use a constructed wetland and does not plan to discharge the treated effluent must:

(1) obtain approval of the design plan from the commissioner; and

(2) apply the treated effluent to the land in accordance with 327 IAC 16-10 or in accordance with an alternate method described in the manure management plan under 327 IAC 16-7-11(b)(1).

(Water Pollution Control Board; 327 IAC 16-8-11)

**327
IAC
16-8-12
Construction
requirements
for
waste
management
systems**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 12. (a) All waste management systems must be constructed to minimize leaks and seepage and prevent spills that could contaminate ground water or surface water.

(b) The owner/operator shall notify the commissioner when construction on a new waste management system begins.

(c) The commissioner may incorporate conditions into the approval that require testing to verify that the earthen liquid waste management system is consistent with the design and meets the performance standards established in this article.

TITLE 327 WATER POLLUTION CONTROL BOARD

(d) Within thirty (30) days after the date construction of an approved waste management system is completed, and prior to the introduction of any animals, the applicant shall execute and send to the commissioner an affidavit, under penalty of perjury, that a waste management system was constructed, and will be operated, in accordance with the requirements of the approval and this article. (*Water Pollution Control Board; 327 IAC 16-8-12*)

Rule 9. Manure Handling and Storage; Operational Requirements

**327
IAC
16-9-1
Maintenance
requirements**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. (a) All waste management systems and application equipment must be maintained and operated to meet the approval conditions and all applicable state and federal laws.

(b) Management of liquid and solid manure must be in compliance with the following:

(1) This article.

(2) The confined feeding operation or other animal feeding operation approval.

(3) All applicable state and federal laws.

(c) Manure must be in an approved manure storage structure until removed for land application in accordance with 327 IAC 16-10.

(d) If uncovered, liquid manure storage structures must be maintained with a minimum freeboard of two (2) feet or as specified in the approval conditions.

(e) The owner/operator shall inspect all waste management systems for compliance with this article and the approval conditions and, if applicable, freeboard as specified in subsection (d) or the approval, at least one (1) time each month. Completed self-monitoring records must be kept in the operating record described in section 5 of this rule.

(f) Uncovered liquid manure storage structures must have clearly identified markers to indicate

TITLE 327 WATER POLLUTION CONTROL BOARD

manure levels relative to the approved freeboard elevation.

(g) All earthen berms for manure storage structures must:

**(1) be stabilized with vegetation or alternative erosion control measures;
and**

(2) be maintained to allow for visual inspection.

(h) An owner/operator that plans to use a vegetative management system must operate and maintain the vegetative management system to provide effective treatment.

(i) Migration of solids from contaminated run-off that crosses property lines or enters waters of the state from any feedlot must be minimized.*(Water Pollution Control Board; 327 IAC 16-9-1)*

**327
IAC
16-9-2
Transport
and
handling**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 2. Pumping, dumping, or allowing the leakage or drainage of manure from the confined feeding operation, other animal feeding operation, or a manure transfer vehicle onto unauthorized premises, public thoroughfares, or into waters of the state is prohibited.*(Water Pollution Control Board; 327 IAC 16-9-2)*

**327
IAC
16-9-3
Dead
animal
and
manure
compost
operations**

Authority: IC

TITLE 327 WATER POLLUTION CONTROL BOARD

**13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) Dead animal and manure compost operations must have run-on and run-off control.

(b) Dead animal and manure compost may be applied to the land if in accordance with the manure application requirements in this article*(Water Pollution Control Board; 327 IAC 16-9-3)*

**327
IAC
16-9-4
Emergency
spill
response
plan**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 4. (a) The owner/operator of a confined feeding operations and other animal feeding operations shall:

(1) develop an emergency spill response plan as described in subsection (c):

(A) prior to the collection and storage of any manure for new confined feeding operations and other animal feeding operations; or

(B) by the effective date of the rule for existing confined feeding operations and other animal feeding operations;

(2) keep it in the operating record;

(3) implement the emergency spill response plan at any time a spill occurs; and

TITLE 327 WATER POLLUTION CONTROL BOARD

(4) familiarize all employees involved with manure handling with the emergency spill response plan.

(b) The emergency spill response plan must be located at the confined feeding operation or other animal feeding operation in a place accessible to all employees.

(c) The emergency spill response plan must include the following:

(1) The names and telephone numbers of persons who are identified by the owner/operator as responsible for implementing the emergency spill response plan.

(2) Areas where potential spills can occur and their accompanying drainage points.

(3) Procedures to be followed in the event of a spill, including the following:

(A) Actions to contain or manage any spill of manure.

(B) Identification of the proper authorities to be contacted.

(C) Mitigation of any adverse effects of the spill.

(4) Identification of equipment and clean-up materials to be used in the event of a spill.

(5) Procedures for reporting the spill to:

(A) the confined feeding operation or other animal feeding operation owner/operator;

(B) any applicable local emergency or health authorities; and

(C) the department in accordance with 327 IAC 2-6.1.

(Water Pollution Control Board; 327 IAC 16-9-4)

**327
IAC
16-9-5**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Operating
record**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18-10; IC 13-30**

Sec. 5. (a) The following information must be added to the operating record as needed in accordance with required time frames established in this article and IC 13-18-10, and must be maintained and updated in the operating record:

(1) All valid approvals and modifications to the approvals, including a copy of all information submitted in the application packages, and notifications.

(2) The current manure management plan.

(3) The current emergency spill response plan.

(b) The operating record must also contain all applicable records from the following:

(1) Section 1(e) of this rule.

(2) Section 4(a) and 4(b) of this rule.

(3) 327 IAC 16-10-1(e).

(4) 327 IAC 16-10-2(d), for five (5) years.

(5) 327 IAC 16-10-5(c), for three (3) years.

(6) Documentation of any spill response implemented by confined feeding operation or other animal feeding operation personnel within the past five (5) years.

(Water Pollution Control Board; 327 IAC 16-9-5)

Rule 10. Land Application of Manure

**327
IAC
16-10-1**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Required
acreage
for
manure
application**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. (a) A minimum number of acres for manure application must be maintained and documented in the operating record at all times based on:

- (1) agronomic rates for potentially available nitrogen provided by a laboratory soil test, and a manure test; or**
- (2) application rates not to exceed one hundred fifty (150) pounds of potentially available nitrogen per acre per year, for confined feeding operations and other animal feeding operations that have not received the test results on the soil and manure.**

(b) Any acreage identified as part of the minimum required acreage for the application of manure that is not owned by the owner of the confined feeding operation or other animal feeding operation must be documented in the operating record via land use agreements signed by the property owners on whose property the manure will be applied.

(c) The calculation of acreage identified as part of the minimum required acreage for manure application must only include acreage that meets the site restrictions in section 3 of this rule and the setbacks in section 4 of this rule.

(d) If the applicant can demonstrate to the satisfaction of the commissioner that a smaller amount of acreage can be used and is equally protective of human health and the environment, the commissioner may approve the different amount of acreage based on site-specific criteria submitted with the application package, including:

- (1) type of manure generated;**
- (2) alternate methods of managing manure;**
- (3) innovative technology; or**
- (4) other criteria related to protection of human health or the**

TITLE 327 WATER POLLUTION CONTROL BOARD

environment.

(e) Copies of any written waivers related to reduction of the property line setback distances must be kept in the operating record. *(Water Pollution Control Board; 327 IAC 16-10-1)*

**327
IAC
16-10-2
Manure
application
rates**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18-10; IC 13-30**

Sec. 2. (a) The owner/operator of a new confined feeding operation or other animal feeding operation shall have a soil test and a manure test conducted in accordance with the manure management plan that is submitted to the commissioner to meet the requirement in 327 IAC 16-7-2(b)(6).

(b) The agronomic rate for potentially available nitrogen must not exceed the nitrogen requirements of current or planned crops of the upcoming growing season as documented in the operating record.

(c) The following information must be added to the operating record as needed in accordance with required time frames established in this article and IC 13-18-10, and must be maintained and updated in the operating record:

- (1) The type of manure applied.**
- (2) Results of manure tests.**
- (3) Soil tests for all manure application sites.**
- (4) The amount of manure applied.**
- (5) The type of application method used.**
- (6) Identification of locations and number of acres on which manure is applied.**

TITLE 327 WATER POLLUTION CONTROL BOARD

(7) The dates on which the manure is applied.

(8) Determination of the agronomic rates for potentially available nitrogen used to apply manure to each field.

(Water Pollution Control Board; 327 IAC 16-10-2)

**327
IAC
16-10-3
Manure
application
activities**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) Manure that is staged at the manure application site for more than seventy-two (72) hours must be:

- (1) covered or otherwise protected; and**
- (2) applied to the site within ninety (90) days.**

(b) Staging of solid manure at the manure application site is prohibited:

(1) within three hundred (300) feet of surface waters of the state, drainage inlets, including water and sediment control basins, or water wells unless there is:

(A) a barrier; or

(B) a surface gradient that contains or directs any contaminated run-off away from the waters of the state, drainage inlets, including water and sediment control basins, or water wells;

(2) on any area with a slope greater than six percent (6%), unless run-on and run-off is controlled; or

(3) on any standing water or waterway.

TITLE 327 WATER POLLUTION CONTROL BOARD

(c) To prevent leaks or excessive application of liquid manure spray irrigation must be conducted:

(1) under the constant supervision of a person designated by the owner/operator or as specified in the approval;

(2) with devices to detect pressure loss due to leaks and devices to shut down the system if leaks are detected; or

(3) in accordance with a spray irrigation plan approved by Natural Resources Conservation Service or the department.

(d) Spray irrigation of manure must not be applied to any land that has less than twenty (20) inches of soil above the bedrock unless in accordance with an approved spray irrigation plan.

(e) Spray irrigation in a flood plain must be conducted in accordance with a spray irrigation plan that:

(1) addresses spray irrigation in a flood plain; and

(2) has been approved by the commissioner.

(f) Application of manure to frozen ground must be handled in accordance with the following:

(1) Frozen ground with slopes in excess of two percent (2%) without residue protection or crop cover must not be used for application of liquid or solid manure.

(2) Spray irrigation of liquid manure to frozen ground is prohibited.

(g) Manure must not be applied to the land from manure application equipment operating on a public road.

(h) Liquid or solid manure must not be applied to highly erodible land unless:

(1) the land has residue protection or crop cover; or

(2) in accordance with a conservation plan.

(Water Pollution Control Board; 327 IAC 16-10-3)

**327
IAC
16-10-4
Manure**

TITLE 327 WATER POLLUTION CONTROL BOARD

**application
setbacks**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 4. (a) Except under subsections (e) and (f), application of manure must be in accordance with the setbacks in Table 1:

Table 1. SETBACK DISTANCES (in feet)				
Known Feature	Liquid Injection or Single Pass Incorporation	Liquid Incorporation; Application to Pasture; or Solid or Composted Manure Application	Liquid Surface Application	
			Less than or Equal to 6 % Slope; or Residue Cover	Greater than 6 % Slope
Public water supply wells and public water supply surface intake structures	500	500	500	500
Surface waters of the state, including water and sediment control basins	25	50	100	200
Sinkholes (measured from the surficial opening or the lowest point)	25	50	100	200
Wells	50	50	100	200
Drainage inlets	5	50	100	200
Property lines and public roads	0	10	50	50

(b) Liquid incorporation of manure in Table 1 means only manure that has been incorporated into the soil within twenty-four (24) hours of placement on the land.

(c) All setback distances must be measured from the edge of the area of actual placement of manure on the land.

(d) The property line setback distances specified in subsection (a), Table 1, may be waived in writing by the owner of the adjoining property.

(e) If a properly designed and maintained filter strip is located between the application site and:

- (1) waters of the state;**
- (2) any known well;**
- (3) the surficial opening or lowest point of any sinkhole; or**

TITLE 327 WATER POLLUTION CONTROL BOARD

(4) any drainage inlet, including water and sediment control basins;

then the setback is the width of the filter strip.

(f) The setback is ten (10) feet if a gradient barrier is located between the application site and:

(1) surface waters of the state;

(2) any known well;

(3) the surficial opening or lowest point of any sinkhole; or

(4) any drainage inlet, including water and sediment control basins.

(g) The owner/operator may obtain a reduced setback under 327 IAC 16-5, by demonstrating to the commissioner that a different compliance approach meets the performance standards in 327 IAC 16-3-1. (*Water Pollution Control Board; 327 IAC 16-10-4*)

327
IAC
16-10-5
Marketing
and
distribution
of
manure

Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4

Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30

Sec. 5. (a) The owner/operator of the confined feeding operation or other animal feeding operation shall provide an information sheet to any person that receives or purchases more than ten (10) cubic yards or two thousand (2,000) gallons of manure in a year from the confined feeding operation or other animal feeding operation unless the owner/operator takes responsibility for applying the manure.

(b) The information sheet must contain, at a minimum, the following information:

(1) The name and address of the confined feeding operation or other animal feeding operation providing the manure.

TITLE 327 WATER POLLUTION CONTROL BOARD

(2) A statement indicating that it is unlawful to allow the manure to enter any waters of the state.

(3) Information on the nutrient content of the manure.

(4) The manure application requirements of this rule.

(c) The operating record must contain and be maintained and updated with records of any person who receives or purchases more than ten (10) cubic yards or two thousand (2,000) gallons of manure in a year to include:

(1) the name and address of the person receiving or purchasing the manure;

(2) the amount of manure received or purchased by the person; and

(3) a copy of the information sheet.

(d) All records in this section must be made available to a representative of the department during an inspection. (*Water Pollution Control Board; 327 IAC 16-10-5*)

Rule 11. Closure of Manure Storage Structures

**327
IAC
16-11-1
Applicability**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. (a) The owner/operator of confined feeding operations and other animal feeding operations that plan to close or discontinue use of a manure storage structure must comply with the requirements in sections 3 and 4 of this rule, as applicable. A manure storage structure is deemed closed when the environmental threat has been removed.

(b) The owner/operator of a confined feeding operation or other animal feeding operation that plans to temporarily discontinue use of a manure storage structure must comply with section 2 of this rule. (*Water Pollution Control Board; 327 IAC 16-11-1*)

TITLE 327 WATER POLLUTION CONTROL BOARD

**327
IAC
16-11-2
Temporary
shut-down
of
manure
storage
structures**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 2. Manure storage structures that are temporarily shut down must be maintained in accordance with this article and a valid approval.*(Water Pollution Control Board; 327 IAC 16-11-2)*

**327
IAC
16-11-3
General
closure
requirements**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) The owner/operator of a confined feeding operation or other animal feeding operation that plans to close or discontinue use of a manure storage structure must:

- (1) close the manure storage structure in accordance with the closure requirements in this section; or**
- (2) until the manure is removed, continue to maintain the manure storage structure so that there is no release.**

TITLE 327 WATER POLLUTION CONTROL BOARD

(b) If the confined feeding operation or other animal feeding operation will not be completely closed, the owner/operator shall apply for a modification to the approval for any manure storage structure that is to be closed, and:

(1) recalculate the storage capacity for the confined feeding operation or other animal feeding operation; and

(2) notify the department:

(A) before demolishing or converting the use of any manure storage structure; and

(B) of the intended future use of the manure storage structure if the manure storage structure is to be converted to another use.

(c) The owner/operator of manure storage structures that are to be closed must:

(1) have all the manure removed from the manure storage structure;

(2) have all associated appurtenances, and conveyance structures removed from uncovered liquid manure storage structures; and

(3) have the manure:

(A) applied to the land in accordance with 327 IAC 16-10; or

(B) managed in accordance with this article and applicable state and federal laws.

(d) The owner/operator shall submit a certification to the commissioner within thirty (30) days of completing the requirements in this section that states compliance with the requirements in this section.

(e) If deemed necessary to protect human health or the environment, the commissioner may require additional closure activities based on:

(1) surface or ground water contamination;

(2) evidence of leakage, seepage, or spills; or

(3) other criteria related to protection of human health or the environment.

(Water Pollution Control Board; 327 IAC 16-11-3)

Rule 12. Exiting the Confined Feeding Approval Program

**327
IAC
16-12-1
Applicability**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 1. This rule applies to any confined feeding operation or other animal feeding operation with a valid approval that wants to be removed from the program due to:

(1) a reduction in the size of the confined feeding operation or other animal feeding operation to a number of animals that is less than the definition of confined feeding operation in 327 IAC 16-2-5 or other animal feeding operation in 327 IAC 16-2-29; or

(2) a decision to cease operation and completely close the entire confined feeding operation or other animal feeding operation.

(Water Pollution Control Board; 327 IAC 16-12-1)

**327
IAC
16-12-2
Exiting
the
confined
feeding
approval
program
due
to
a
reduction
in
size
of
operation**

TITLE 327 WATER POLLUTION CONTROL BOARD

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 2. (a) A confined feeding operation or other animal feeding operation may be removed from the regulated confined feeding approval program, but continue to operate as a smaller operation, if:

- (1) the department has received a request from the owner/operator to be removed from the program and confirming that the confined feeding operation or other animal feeding operation has and maintains fewer animals than the definition of confined feeding operations in 327 IAC 16-2-5 or other animal feeding operation in 327 IAC 16-2-29; and**
- (2) approved by the commissioner based on a review of the criteria in subsection (b).**

(b) The commissioner shall review the following criteria in determining if a request to exit the confined feeding approval should be approved:

- (1) The number of animals at the confined feeding operation or other animal feeding operation.**
- (2) Past enforcement actions relative to any discharges and current compliance with any outstanding violations.**
- (3) Existence of any conditions which pose a threat to human health or the environment.**

(c) The commissioner shall send the owner/operator a letter of confirmation when the department has verified that the requirements of subsection (a) have been met.

(d) For a confined feeding operation or other animal feeding operation that has been removed from the confined feeding operation or other animal feeding operation approval program under (a), the owner/operator must submit a new application under this article to again operate a confined feeding operation as defined in 327 IAC 16-2-5 or other animal feeding operation in 327 IAC 16-2-29. (*Water Pollution Control Board; 327 IAC 16-12-2*)

**327
IAC
16-12-3
Exiting**

TITLE 327 WATER POLLUTION CONTROL BOARD

**the
confined
feeding
approval
program
due
to
a
complete
closure
of
the
operation**

**Authority: IC
13-14-8-7; IC 13-15-2-1;
IC 13-18-10-4**

**Affected: IC 13-11-2; IC
13-14; IC 13-15; IC
13-18; IC 13-30**

Sec. 3. (a) A confined feeding operation or other animal feeding operation may be removed from the regulated confined feeding approval program and completely closed if the department has been notified that:

- (1) all livestock animals are removed from the site; and**
- (2) the confined feeding operation or other animal feeding operation closes all manure storage structures in accordance with 327 IAC 16-11.**

(b) The commissioner shall send the owner/operator a letter of confirmation when the department has verified that the requirements of subsection (a) have been met*(Water Pollution Control Board; 327 IAC 16-12-3)*